


擁壁高 600~900

■エコウォールS(N) (H=600~900) 規格図

平面図



側面図




■寸法・重量

呼び名 (H)	参考重量 (kg)	寸法 (mm)					
		B	h1	h5	T	t3	t4
600	347	700	60	350	80	60	50
700	396	750				65	
750	423					70	
800	477	800	80	400		75	
900	535		80	450		80	

擁壁高 1000～2000

■エコウォールS(N1) (H=1000～2000) 規格図




■寸法・重量

呼び名 (H)	参考重量 (kg)	寸法 (mm)						
		B	d1	h1	h5	T	t3	t4
1,000	640	850	60	250	525	100	70	60
1,250	855	1,000	65		600		80	65
1,500	1,080	1,150		70	650		90	70
1,750	1,370	1,300	650		100		75	
2,000	1,640	1,450	700		110			



擁壁高 2250～3000

■エコウォールS(N1) (H=2250～3000) 規格図

平面図



側面図



■寸法・重量

呼び名 (H)	参考重量 (kg)	寸法 (mm)							
		B	d1	h1	h5	h6	T	t3	t4
2,250	2,180	1,600	75	500	700	700	100	120	80
2,500	2,350	1,750		750					
2,750	2,960	1,900	80	500	800	900		130	85
3,000	3,130	2,050		750					